

# Rings

## Ring shanks, dress rings and signet stampings

Cookson offer a range of rings suitable for all styles, stones and occasions. This years new additions include Princess cut, half eternity channel set rings, single stone rings and low shoulder Knife Edge shanks.

We have changed the Ring Size Conversion Chart at the back of the section. This not only provides European, Continental, and American sizes but also gives the internal circumference to aid sizing.

CONTENTS	PAGE
New products & Highlights	73-74
Rubber rings	75-76
Ring shanks	77-89
Rocker rings	90-91
Round single stone Dress rings	92-96
Oval single stone Dress rings & fancy rings	97
Octagonal Single stone dress rings	98
Domed rings	99-102
Five stone carved Half hoop rings	103-104
Half & full eternity rings	105-112
Gypsy claw set rings	113-114
Sovereign rings	115-117
Initial rings	118-119
Stone set signet rings	120-122
Stamped signet rings	123-131
Quick style contents	134
Ring Sizing Conversion Chart	136



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson 

## How To Use The Ring Section

Pages 75 - 136 contain detailed listings of our full range of ring products.

An example of a typical listing is shown below

This is the main description of the cast ring

This column gives details of either the style of the ring, e.g. the ring width or shape, or the approximate stone sizes of the ring

This column gives the finger size of the cast ring, using the leading edge

This is a reference to the style of the ring

These columns give the code that should be used when ordering your ring

Ref	Stone Size	Finger Size	Approx. Wt. gct	Sil	9Y	9W	Code	18Y	18W	Plat
11554	7.0mm widest point 2.6mm depth	0	2.6g		FAR S04			FAR S04		
11555	3.5mm widest point 1.5mm depth	1 1/2	3.2g		FAR S05			FAR S05		

On pages 132 - 135 are the quick reference guides for our full range of cast rings.  
This provides you with a pictorial reference to the range.



Please note: All ring blanks are supplied Hallmarked



## New Products in the Ring Section

Look out for the  **NEW!** symbol for exciting new products in our range

 **NEW!**



### Single Stone Ring.

Rex setting on a "Tiffany" style shank with chenier shoulders, in seven stone sizes from 15 pts to 1ct. in 9y, 9w, 18y, 18w & Platinum.

**See page 95**

 **NEW!**



### RS85 Shank

Low Shoulder Knife Edge Shank.

Perfect for 3 & 5 stone heads.

**See page 79**

 **NEW!**



### Princess Cut, Half Eternity, Channel Set, Ring

Three, 5 stone rings in 3.0, 3.25 & 3.5mm. Four, 7 stone rings in 2.25, 2.5, 2.75, 3.0mm. All in 9y, 9w, 18y, 18w & Platinum.

**See page 107**

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

**www.cooksongold.com**

Cookson 



## Rings

NEW PRODUCTS

### Highlights from the Ring Section



#### Rocker Rings

The Rocker Rings are a range of three matching wedding ring bands and ring shanks. The rings and shanks have a unique triangular profile which is extremely comfortable to wear without compromising elegance. The shanks are ideal to show off a single stone setting with the matching wedding ring bands able to be left plain or gem-set, for a truly special engagement and wedding ring set for your customers.

**See pages 90 & 91**

*rocker*



#### Rubber Rings

Fashionable range of rubber rings, in two colours with a selection of 18ct decorations.

**See pages 75 & 76**



#### Silver Stampings

New to our range a selection of popular Silver Signets requested by customers, styles include: Heart & Oval head, Oval stone set, and the traditional Cushion stone set rings.

**See page 131**



# Rings

## RUBBER RINGS

Our new range of rubber rings, with 18ct wrap around decoration.


Rubber Ring, 3.5mm wide with 12mm, 18ct decoration, Plain

Code	Description	Finger Size
V13 0110	Black Rubber with polished 18ct yellow	J
V13 0112	Black Rubber with polished 18ct yellow	L
V13 0114	Black Rubber with polished 18ct yellow	N
V13 0116	Black Rubber with polished 18ct yellow	O



Rubber Ring, 3.5mm wide with 12mm, 18ct Yellow & White screw head

Code	Description	Finger Size
V13 0610	Black Rubber with polish 18ct yellow & white screw	J
V13 0612	Black Rubber with polish 18ct yellow & white screw	L
V13 0614	Black Rubber with polish 18ct yellow & white screw	N
V13 0616	Black Rubber with polish 18ct yellow & white screw	O



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

# Rings

## RUBBER RINGS

**Rubber Ring, 3.5mm wide with 12mm, 18ct Yellow with etched Tiger Stripe Decoration.**

Code	Description	Finger Size
V13 0210	Black Rubber and 18ct with etched stripe pattern	J
V13 0212	Black Rubber and 18ct with etched stripe pattern	L
V13 0214	Black Rubber and 18ct with etched stripe pattern	N
V13 0216	Black Rubber and 18ct with etched stripe pattern	O
V13 0310	Brown Rubber and 18ct with etched stripe pattern	J
V13 0312	Brown Rubber and 18ct with etched stripe pattern	L
V13 0314	Brown Rubber and 18ct with etched stripe pattern	N
V13 0316	Brown Rubber and 18ct with etched stripe pattern	O



**Rubber Ring, 3.5mm wide with 12mm, 18ct Yellow decoration, Satin Finish**

Code	Description	Finger Size
V13 0410	Black Rubber with satin finish 18ct yellow	J
V13 0412	Black Rubber with satin finish 18ct yellow	L
V13 0414	Black Rubber with satin finish 18ct yellow	N
V13 0416	Black Rubber with satin finish 18ct yellow	O
V13 0510	Brown Rubber with satin finish 18ct yellow	J
V13 0512	Brown Rubber with satin finish 18ct yellow	L
V13 0514	Brown Rubber with satin finish 18ct yellow	N
V13 0516	Brown Rubber with satin finish 18ct yellow	O



**Rubber Ring, 3.5mm wide with 12mm, polished 18ct yellow with White Heart decoration.**

Code	Description	Finger Size
V13 0710	Black Rubber with polish 18ct yellow & white heart.	J
V13 0712	Black Rubber with polish 18ct yellow & white heart.	L
V13 0714	Black Rubber with polish 18ct yellow & white heart.	N
V13 0716	Black Rubber with polish 18ct yellow & white heart.	O



Please note: All ring blanks are supplied Hallmarked



# Rings

## RING SHANKS

### Ring Shank: tiffany with high shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS02	High shoulders with chenier	M	2.5g	FSR S02	FAR S02	FBR S02	FLR S02	FHR S02	FXR S02



**★ best seller!**

### Ring Shank: tiffany with low shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS03	Heavy - with chenier	M	2.5g	FSR S03	FAR S03	FBR S03	FLR S03	FHR S03	FXR S03
RS04	Light - with chenier	M	1.8g		FAR S04	FBR S04	FLR S04	FHR S04	FXR S04



### Ring Shank: tiffany with low shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS05	Plain - no chenier	N	2.2g		FAR S05		FLR S05	FHR S05	FXR S05



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

**www.cooksongold.com**

Cookson



# Rings

## RING SHANKS



### Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS06	Heavyweight	M	2.8g	FSR S06	FAR S06	FBR S06	FLR S06	FHR S06	FXR S06
RS07	Lightweight	M	2.2g		FAR S07	FBR S07	FLR S07	FHR S07	FXR S07



See page 79 for RS85

### Ring Shank: plain knife edge shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS62	Plain knife edge Extra heavy weight		4.4g				FMR S62	FPR S62	



### Ring Shank: faceted V-shape shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS31	Faceted 'V' shoulder with solid back, widest point 3.5mm	M½	4.4g				FLR S31	FHR S31	



Solid Shoulder

Please note: All ring blanks are supplied Hallmarked





# Rings

## RING SHANKS

### Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS53	Grooved	M	4.0g				FLR S53		



Solid Shoulder

### Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS85	Low Shoulder		3.5	FSR S85	FAR S85	FBR S85	FLR S85	FHR S85	FXR S85



See page 78 for other  
Knife Edge Shanks

### Ring Shank: bevelled shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS59	3.0mm widest point	O	4.0g				FLR S59		



Solid Shoulder

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

# Rings

## RING SHANKS



### Ring Shank: plain heavy knife edge shank


Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS61	Faceted 'V' shoulder with solid back	M	3.6g				FLR S61		



Solid Shoulder

### Ring Shank: grooved shoulder shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS65	Grooved shoulder polished		3.9g				FMR S65	FPR S65	



### Ring Shank: flat shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS39	2.8mm widest point	O½	3.2g		FAR S39		FLR S39	FHR S39	FXR S39



Hollowed Shoulder

Please note: All ring blanks are supplied Hallmarked



# Rings

## RING SHANKS

### Ring Shank: flat shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS60	2.8mm widest point	O	4.0g				FLR S60	FHR S60	



Solid Shoulder

### Ring Shank: flat V-shape shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS40	3.5mm widest point	N½	4.5g				FLR S40	FHR S40	



Hollowed Shoulder

### Ring Shank: wide shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS49	3.3mm widest point	G	2.3g				FLR S49	FHR S49	



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

# Rings

## RING SHANKS

### Ring Shank: 'D' Shaped shank

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS54	3.0mm widest point 2.6mm depth	O	2.6g		FAR S54		FLR S54		



Solid Shoulder



### Ring Shank: 'D' Shaped shank

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS55	3.5mm widest point 3.5mm depth	I½	3.2g		FAR S55		FLR S55	FHR S55	



Solid Shoulder

Immediate access to the largest stock  
in the trade  
@ [www.cooksongold.com](http://www.cooksongold.com)

Please note: All ring blanks are supplied Hallmarked





# Rings

## RING SHANKS

### Ring Shank: court shaped shank

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS57	3.9mm widest point 1.8mm depth	P	4.6g				FLR S57		



Solid Shoulder

### Ring Shank: high shoulder shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS63	4mm high shoulder		4.9g				FMR S63	FPR S63	



### Ring Shank: wide split shoulders

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS66	3mm wide split shoulders		5.0g				FMR S66	FPR S66	



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson 

# Rings

## RING SHANKS

### Ring Shank: suitable for End Set Setting

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS69	2.5mm deep	M	4.8				FMR S69	FPR S69	
RS70	3.0mm deep	M	6.2				FMR S70	FPR S70	



Solid Shoulder

### Ring Shank: for disc setting

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS67	Shank for disc setting See page 173 for Disc settings		4.7g					FPR S67	



### Ring Shank: flat section rounded end shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS45	2.7mm widest point	N½	2.4g		FAR S45		FLR S45	FHR S45	FXR S45



Please note: All ring blanks are supplied Hallmarked



# Rings

## RING SHANKS

### Ring Shank: split flat top

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS16	2.3mm widest point	N	2.8g				FLR S16	FHR S16	FXR S16



### Ring Shank: wide shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS14	5.0mm widest point	N	2.9g		FAR S14		FLR S14	FHR S14	



### Ring Shank: split shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS08	Heavyweight	M½	3.7g				FLR S08		FXR S08



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

# Rings

## RING SHANKS

### Ring Shank: fleur de lys

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS10	Plain heavyweight	N	2.4g	FSR S10	FAR S10		FLR S10		



### Ring Shank: fleur de lys

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS12	Multi Dome & Shank lightweight	L	1.9g		FAR S12				



### Ring Shank: split shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS34	Split 'V'	N	2.2g		FAR S34	FBR S34	FLR S34	FHR S34	



Please note: All ring blanks are supplied Hallmarked





# Rings

## RING SHANKS

### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS20	For single stone setting	M	2.1g		FAR S20		FLR S20	FHR S20	FXR S20



See page 89 for RS42

### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS21	For multi settings or large single settings	P½	2.6g		FAR S21		FLR S21	FHR S21	



### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS22	Straight edge	M	2.1g		FAR S22		FLR S22	FHR S22	



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson 

# Rings

## RING SHANKS

### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS68	Tapering flat shoulder	L	3.5g				FLR S68	FHR S68	



### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS27	For single stone setting, heavyweight	K	2.8g		FAR S27		FLR S27	FHR S27	FXR S27



### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS35	For single stone setting	N	3.5g				FLR S35	FHR S35	



Please note: All ring blanks are supplied Hallmarked



# Rings

## RING SHANKS

### Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS42	For single stone setting	P	4.1g				FLR S42	FHR S42	



See page 87 for RS20

### Ring Shank: Scroll Shoulder Shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS75	The scrolls sit on a split shank, N with indents suitable for setting small stones.	N	4.6g				FLR S75	FHR S75	



order today @ [www.cooksongold.com](http://www.cooksongold.com)  
**NO MINIMUM ORDER!**

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)


Cookson

# Rings

## ROCKER RINGS




### Platinum Rocker Ring "DD" Shank

	Ring Width (mm)		MEDIUM Finger size L, N, P weight	
	CODE			
	3.5	TYSH 081	7.7	

'Rocker' Rings & 'Rocker' Shanks perfect for Engagement Rings & matching Wedding Ring Blanks (can be supplied as a set or individually).




### Platinum Rocker Ring "DD"

	Ring Width (mm)		MEDIUM Finger size L, N, P weight	
	CODE			
	3.5	TYSH 082	8.4	



### Platinum Rocker Ring Profile Shank

	Ring Width (mm)		MEDIUM Finger size L, N, P weight	
	CODE			
	3.5	TYSH 091	8.3	

Please note: All ring blanks are supplied Hallmarked





Rings  
ROCKER RINGS



Platinum Rocker Ring Profile

		Ring Width (mm)	CODE	MEDIUM Finger size L, N, P weight	
		3.5	TYSH 092	8.9	



Platinum Rocker Ring Knife Edge Shank

		Ring Width (mm)	CODE	MEDIUM Finger size L, N, P weight	
		3.5	TYSH 101	7.4	

'Rocker' Rings & 'Rocker' Shanks perfect for Engagement Rings & matching Wedding Ring Blanks (can be supplied as a set or individually).



Platinum Rocker Ring Knife Edge

		Ring Width (mm)	CODE	MEDIUM Finger size L, N, P weight	
		3.5	TYSH 102	8.0	

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

# Rings

## ROUND SINGLE STONE DRESS RINGS

### Two colour rubover single stone ring

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y & 18W	Plat
D02P	3.0 to 4.0mm stone	M	3.7g				FQD 02P	
D03P	5.0mm	M	4.1g				FQD 03P	
D07P	4.2mm	M	4.0g				FQD D07P	
D08P	4.75mm	M	4.2g				FQD D08P	



### Rubover single stone - polished, narrow shank

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
W15	40 to 50pts - 4.8 to 5.1mm	L½	3.3g					FHW 015	



Want to know up to the minute  
GOLD & SILVER prices?  
visit  
[www.cooksongold.com](http://www.cooksongold.com)



Please note: All ring blanks are supplied Hallmarked



## Rings

## ROUND SINGLE STONE DRESS RINGS

## Dress Ring - single stone illusion

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
F82	Outside of illusion: 5.0mm	O	3.2g		FAF 082				




## 4 claw single stone ring

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
R01P	3.0mm round	N½	3.5g				FMR 01P	FPR 01P	
R02P	4.0mm round	O	4.5g				FMR 02P	FPR 02P	
R03P	5.0mm round	N½	5.1g				FMR 03P	FPR 03P	
R04P	5.5mm round	N½	5.1g				FMR 04P	FPR 04P	



## 6 claw single stone ring

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
R05P	3.0mm round	N	4.0g					FPR 05P	
R06P	4.0mm round	N	5.5g					FPR 06P	
R07P	4.5mm round	M½	5.8g					FRP 07P	
R08P	5.5mm round	M½	7.2g					FPR 08P	



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

## Rings

### ROUND SINGLE STONE DRESS RINGS

#### Single Stone Ring Rex setting on a Tiffany shank with chenier shoulders

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
D30	15pts	L½	1.9		FAD 030	FBD 030	FLD 030	FHD 030	FXD 030
D31	20pts	L½	2.4		FAD 031	FBD 031	FLD 031	FHD 031	FXD 031
D32	25pts	L½	2.4		FAD 032	FBD 032	FLD 032	FHD 032	FXD 032
D33	33pts	L½	2.5		FAD 033	FBD 033	FLD 033	FHD 033	FXD 033
D34	48/50pts	M	2.8		FAD 034	FBD 034	FLD 034	FHD 034	FXD 034
D35	75pts	M½	3.2		FAD 035	FBD 035	FLD 035	FHD 035	FXD 035
D36	1/1.25ct	O	3.8		FAD 036	FBD 036	FLD 036	FHD 036	FXD 036



\* can be supplied to order

#### End Set Rings, round setting

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
D15	4.5mm	N	3.1					FHD 015	FXD 015
D16	5.5mm	N	3.5					FHD 016	FXD 016
D17	6.0mm	N	3.7					FHD 017	FXD 017



Example set with stone

# Scrap Service

At Cookson we treat scrap material day in day out.

See page 54 for more details

Please note: All ring blanks are supplied Hallmarked





## Rings

## ROUND SINGLE STONE DRESS RINGS

## Faux Tension Set Ring, Single stone, D shape band, with supporting bezel.

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
D18	3.5mm Band, 3.0mm stone	L	4.1				FLD 18L	FHD 18L	
		N	4.4				FLD 18N	FHD 18N	
		P	4.8				FLD 18P	FHD 18P	



★ **best seller!**


## Single Stone Rings, white head &amp; yellow shank, 8 claw

Ref:	Stone Size		Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y & 18W	Plat
R12P	3.5/3.7 mm	8 claw setting	N	3.2				FQR 12P	
R14P	4.7mm	8 claw setting	N	4.0				FQR 14P	
R15P	5.0mm	8 claw setting	N½	4.4				FQR 15P	



*Find what you want fast!*

**Starlink Chains  
in the Finished  
Chain Section  
See pages 317-354**



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

**www.cooksongold.com**

Cookson

## Rings

### ROUND SINGLE STONE DRESS RINGS

#### Dress Ring - single pearl

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
L14	5.0mm cup	Q	2.1g		FAL 014				



#### Pearl Ring - single pearl

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
P6	5.5mm pearl	N½	3.6g		FAP 006				



order today @ [www.cooksongold.com](http://www.cooksongold.com)  
**NO MINIMUM ORDER!**

Cookson also sell a complete range of pierced and non - pierced ear fittings for pearls see the Findings section for details.

Please note: All ring blanks are supplied Hallmarked



## Rings

## OVAL SINGLE STONE DRESS RINGS &amp; FANCY RINGS

## Dress Ring - Oval Centre - Single Stone

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
A2	6 x 4mm	M	2.3g		FAA 002				
A4	8 x 6mm	M½	2.6g		FAA 004				
A6	10 x 8mm	M	2.9g		FAA 006				
A8	12 x 10mm	M	2.8g		FAA 008				



## Dress Ring - Oval Centre - Single Stone

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
A11	16 x 12mm	N	3.5g		FAA 011				
A12	18 x 13mm	N	3.5g		FAA 012				



The A range can be made up from oval double gallery settings and tiffany shanks.

## Cameo Dress Ring

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
D3	10mm x 8mm oval	N½	5.3g		FAD 003				
D4	12mm x 10mm oval	N	5.8g		FAD 004				
D10	17mm x 12mm oval	N	6.3g		FAD 010				



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

# Rings

## OCTAGONAL SINGLE STONE DRESS RINGS


### Dress Ring - octagonal / emerald cut centre

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
N1	6mm x 4mm	N	2.2g		FAN 001				
N3	8mm x 6mm	N	2.5g		FAN 003				
N5	10mm x 8mm	N	3.1g		FAN 005				



### Dress Ring - octagonal / emerald cut centre

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
N7	12mm x 10mm	O	3.3g		FAN 007				



The N range can be made up with ED4 double gallery settings (see the Settings section) and *Tiffany Shanks*

*Find what you want fast!*

**Quick style contents**  
See page 132-135

Please note: All ring blanks are supplied Hallmarked



## Rings

## DOMED RINGS



## Flat Domed Ring - plain

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C7	7.7mm widest point	N	9.4g		FAC 007		FLC 007		



Solid Back

## Gypsy Ring - highly domed

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C16	11.0mm widest point 4.0mm head height	S	8.9g		FAC 016		FLC 016		



Solid Back

## Domed Ring

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C34	9.5mm widest point	Q	9.2g		FAC 034		FLC 034		
C35	7.0mm widest point	Q	7.6g				FLC 035		



Hollowed Back

## \*Terms used in this section :

**Hollowed Back:** The underside of the ring head and/or shoulders is hollowed out.**Solid Back:** The underside of the ring head and/or shoulders is not hollowed out.**Closed Back:** Unless the ring is described as Closed Back - then all stone holes are fully drilled through the band.

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

order  
on-line
[www.cooksongold.com](http://www.cooksongold.com)

Cookson



# Rings

## DOMED RINGS

### Domed Ring - plain

Ref:	Description	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
C28	5.5mm widest point	N½	4.0g				FLC 028		



Solid Back

### Flat Domed Ring - plain

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C21	5.0mm widest point	N	6.8g	FSC 021	FAC 021		FLC 021		



Solid Back

### Domed ring - plain with centre punched mark

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C18	6.75mm widest point	P	4.9g		FAC 018		FLC 018		
C19	8.0mm widest point	Q	8.0g	FSC 019	FAC 019		FLC 019		



Hollowed Back

Please note: All ring blanks are supplied Hallmarked



# Rings

## DOMED RINGS

### Domed Ring - single stone

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C30	7.7mm wide 3.5mm round	Q	4.5g		FAC 030		FLC 030		



Hollowed Back

### Domed Ring - with centre punched mark

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C65	9.8mm widest point	R	11g		FAC 065				



Hollowed Back

### Domed Ring - 3 stone

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C4	6.8mm widest point Centre: 3.5mm round Outer: 2.5mm x 2	P	4.8g		FAC 004		FLC 004		



Hollowed Back

#### \*Terms used in this section :

**Hollowed Back:** The underside of the ring head and/or shoulders is hollowed out.

**Solid Back:** The underside of the ring head and/or shoulders is not hollowed out.

**Closed Back:** Unless the ring is described as Closed Back - then all stone holes are fully drilled through the band.

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



order  
on-line

[www.cooksongold.com](http://www.cooksongold.com)

Cookson

101

RINGS

# Rings

## DOMED RINGS

### Domed Ring - 3 stone (oval centre & 2 round stones)

Ref:	Description	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
C22	7.8mm widest point Centre: 5.0mm x 4.0mm oval Outer: 2.0mm x 2	O	6.9g				FLC 022		



Hollowed Back

### Domed Ring - 3 stones (oval centre & 2 round stones)

Ref:	Description	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
C65P	4 x 3mm oval 2 x 1mm round (outer stone size)	M	9.0g				FMC 65P		



**\*Terms used in this section :**  
**Hollowed Back:** The underside of the ring head and/or shoulders is hollowed out.  
**Solid Back:** The underside of the ring head and/or shoulders is not hollowed out.  
**Closed Back:** Unless the ring is described as Closed Back - then all stone holes are fully drilled through the band.

Please note: All ring blanks are supplied Hallmarked

