

rings



Ringing the changes

Cast and stamped rings suitable for all stones and all occasions -
Repairing or replacing a piece, or creating something completely new, the
Cook Book contains hundreds of shanks and rings, all in stock at sensible
prices.

In addition this year we have added a range of combination shanks and
settings which give you a unique flexibility to create.

contents

New Products	90
Ring Shanks	91 - 101
Classic Co-ordinates	102 - 106
Single Stone Rings	107 - 110
Domed & Half Hoop Rings	111 - 115
Eternity Rings	116 - 119
Gypsy Rings	119 - 121
Sovereign Rings	121 - 123
Signet Rings	123 - 133
Quick Style Contents	134 - 135
Ring Size Conversion Chart	136

order online: cooksongold.com

new rings for 2008

Two part rings

A new range of classic shanks and settings in single/three/five and seven stone configurations, designed for an exact fit. This makes the piece quick and easy to assemble. This range also gives the jeweller the flexibility to buy the shanks and settings separately. See page 102.



Tiffany shanks

Two new Tiffany shanks, one with high shoulders and the other with chenier shoulders. See page 91.



Cross over shoulder ring shanks.



rings

ring shanks

Ring Shank: tiffany with high shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS02	High shoulders with chenier	M	1.9g	FSR S02	FAR S02	FBR S02	FLR S02	FHR S02	FXR S02



Ring Shank: tiffany with high shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS02C	2.5mm - with chenier	N	2.1g		FAR S02C		FLR S02C	FHR S02C	
RS02D	2.9mm - with chenier	O	2.6g		FAR S02D		FLR S02D	FHR S02D	



Ring Shank: tiffany with low shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS03	3mm - with chenier	M	2.0g	FSR S03	FAR S03	FBR S03	FLR S03	FHR S03	FXR S03
RS04	2.2mm - with chenier	M	1.8g		FAR S04	FBR S04	FLR S04	FHR S04	FXR S04



Ring Shank: tiffany with chenier shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS02B	Wide V - with chenier	O	2.5g		FAR S02B		FLR S02B	FHR S02B	



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

ring shanks



Ring Shank: tiffany with low shoulders

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS05	Plain - no chenier	N	1.8g		FAR S05		FLR S05	FHR S05	FXR S05



Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS06	Heavyweight	M	2.2g	FSR S06	FAR S06	FBR S06	FLR S06	FHR S06	FXR S06
RS07	Lightweight	M	1.7g		FAR S07	FBR S07	FLR S07	FHR S07	FXR S07



See below for RS85

Ring Shank: knife edge shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS62	Plain knife edge Extra heavy weight		3.3g				FMR S62	FPR S62	



Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS85	Low Shoulder		3.5	FSR S85	FAR S85	FBR S85	FLR S85	FHR S85	



See pages 93, 94, 101 and 103 for other Knife Edge Shanks

Please note: All ring blanks are supplied Hallmarked

rings

ring shanks

Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS53	Grooved	M	3.5g				FLR S53		



Solid Shoulder

Ring Shank: faceted V-shape shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS31	Faceted 'V' shoulder with solid back, widest point 3.5mm	M½	3.6g				FLR S31	FHR S31	



Solid Shoulder

Ring Shank: knife edge

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS06A	2.5mm - high & wide	N	2.9g				FLR S06A	FHR S06A	



Ring Shank: bevelled shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS59	3.0mm widest point	O	3.8g				FLR S59		



Solid Shoulder

Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

ring shanks

rings



Ring Shank: plain heavy knife edge shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS61	Faceted 'V' shoulder with solid back	M	3.3g				FLR S61		



Solid Shoulder

Ring Shank: grooved shoulder shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS65	Grooved shoulder polished		3.2g				FMR S65	FPR S65	



Deep Groove

Ring Shank: flat shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS39	2.8mm widest point	0½	2.8g		FAR S39		FLR S39	FHR S39	FXR S39



Hollowed Shoulder



...settings?
see page 137

Please note: All ring blanks are supplied Hallmarked

rings

ring shanks

Ring Shank: flat shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS60	2.8mm widest point	0	4.0g				FLR S60	FHR S60	



Solid Shoulder

Ring Shank: flat V-shape shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS40	3.5mm widest point	N½	4.0g				FLR S40	FHR S40	



Hollowed Shoulder

Ring Shank: wide shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS49	3.3mm widest point	G	2.5g				FLR S49	FHR S49	



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

ring shanks

Ring Shank: 'D' Shaped shank

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS54	3.0mm widest point 2.6mm depth	0	2.3g		FAR S54		FLR S54		



Solid Shoulder

Ring Shank: 'D' Shaped shank

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS55	3.5mm widest point 3.5mm depth	1½	2.9g		FAR S55		FLR S55	FHR S55	



Solid Shoulder

Ring Shank: drilled grain set shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS86	6x1.5mm round stones 2.4mm widest point	N	2.0g		FAR S86			FHR S86	



Ring Shank: high shoulder shank

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS63	4mm high shoulder		4.3g				FMR S63	FPR S63	



Please note: All ring blanks are supplied Hallmarked



rings

ring shanks

Ring Shank: wide split shoulders

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS66	3mm wide split shoulders		4.3g				FMR S66	FPR S66	



Ring Shank: suitable for End Set Setting

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS69	2.5mm deep	M	4.3				FMR S69	FPR S69	
RS70	3.0mm deep	M	5.8				FMR S70	FPR S70	



Solid Shoulder

Ring Shank: for disc setting

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS67	Shank for disc setting		4.7g					FPR S67	



See page 174 for Disc settings

Ring Shank: flat section rounded end shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS45	2.7mm widest point	N½	2.2g		FAR S45		FLR S45	FHR S45	FXR S45



Please note: All patterns shown are subject to availability.
All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

ring shanks

Ring Shank: split flat top

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS16	2.3mm widest point	N	2.1g				FLR S16	FHR S16	FXR S16



Ring Shank: wide shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS14	4.2mm widest point	N	2.9g		FAR S14		FLR S14		



Ring Shank: split shoulder

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS08	Heavyweight	M½	3.5g				FLR S08		FXR S08



Ring Shank: fleur de lys

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS12	Grooved Shank lightweight	L	1.6g		FAR S12				



Please note: All ring blanks are supplied Hallmarked

rings

ring shanks

Ring Shank: fleur de lys

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS10	Plain heavyweight	N	2.1g	FSR S10	FAR S10		FLR S10		



Ring Shank: split shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS34	Split 'V'	N	1.6g		FAR S34	FBR S34	FLR S34	FHR S34	



Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS20	For single stone setting	M	1.7g		FAR S20		FLR S20	FHR S20	FXR S20



See page 100 for RS42

Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS21	For multi settings or large single settings	P½	2.3g		FAR S21		FLR S21	FHR S21	



Please note: All patterns shown are subject to availability.
All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

ring shanks

Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS22	Straight edge	M	2.8g		FAR S22		FLR S22	FHR S22	



Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS27	For single stone setting, heavyweight	K	2.4g		FAR S27		FLR S27	FHR S27	FXR S27



Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS35	For single stone setting	N	4.2g				FLR S35	FHR S35	



Ring Shank: cross over

Ref:	Style	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
RS42	For single stone setting	P	5.2g				FLR S42	FHR S42	



See page 99 for RS20

Please note: All ring blanks are supplied Hallmarked

rings

ring shanks

Rings

Ring Shank: cross over, curved knife edge shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Metal			Code		Plat
				Sil	9Y	9W	18Y	18W	
RS22A	2.5mm shank	P	3.0g		FAR S22A		FLR S22A	FHR S22A	



Ring Shank: cross over, low, solid, wave shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Metal			Code		Plat
				Sil	9Y	9W	18Y	18W	
RS22B	3mm shank	N	3.9g		FAR S22B		FLR S22B	FHR S22B	



Ring Shank: cross over, high, with open under gallery shoulder

Ref:	Style	Finger Size	Approx Wt 9ct	Metal			Code		Plat
				Sil	9Y	9W	18Y	18W	
RS22C	2mm shank	P	2.5g		FSR S22C	FAR S22C			



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

order online: cooksongold.com

classic co-ordinates



This new range of classic shanks & settings in single/three/five and seven stone configurations are designed for an exact fit. This makes the piece quick and easy to assemble. This range also gives the jeweller the flexibility to buy the shanks and settings separately according to the needs of the job.

Tiffany shank with low shoulder - wire collet with 8 claws

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP01A	Shank	2.5mm	3.80g		FLR S03A	FHR S03A
TP01A	Head			4mm round		NP1 528A
TP01A	Head			5mm round		NP1 528B



See setting section for more sizes

Shank with bezel - collet with 6 claws & heart design

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP02A	Shank	2.2mm	2.50g		FLR S03B	FHR S03B
TP02A	Head			4mm round		NP1 S03B
TP02B	Shank	2.2mm	3.00g		FLR S03C	FHR S03C
TP02B	Head			4.5mm round		NP1 S03C



Crossover shank - rex collet with 6 claws

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP03A	Shank	2.0mm	4.30g		FLR S35A	FHR S35A
TP03A	Head			4mm round	NN1 S35A	NP1 S35A
TP03B	Shank	2.0mm	4.50g		FLR S35B	FHR S35B
TP03B	Head			5mm round	NN1 S35B	NP1 S35B



Please note: All ring blanks are supplied Hallmarked



rings

classic co-ordinates



This new range of classic shanks & settings in single/three/five and seven stone configurations are designed for an exact fit. This makes the piece quick and easy to assemble. This range also gives the jeweller the flexibility to buy the shanks and settings separately according to the needs of the job.



Knife edge shank - square 4 claw collet

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP04A	Shank	2.5mm	4.50g		FLR S62B	FHR S62B
TP04A	Head			4mm square		NP1 S62B
TP04B	Shank	2.5mm	4.50g		FLR S62C	FHR S62C
TP04B	Head			4.5mm square		NP1 S62C
TP04C	Shank	2.5mm	4.70g		FLR S62D	FHR S62D
TP04C	Head			5mm square		NP1 S62D
TP04D	Shank	2.5mm	4.70g		FLR S62E	FHR S62E
TP04D	Head			5.5mm square		NP1 S62E



Shank with channel set shoulders - square 4 claw collet

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP05A	Shank	3mm	4.00	6 x 2.25mm ²		FHR S39A
TP05A	Head			4mm square		NP1 S39A



For all kinds of bezels and other settings' see the settings section page 145



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

classic co-ordinates



This new range of classic shanks & settings in single/three/five and seven stone configurations are designed for an exact fit. This makes the piece quick and easy to assemble. This range also gives the jeweller the flexibility to buy the shanks and settings separately according to the needs of the job.

new
for
2008

Tiffany shank - rex, 3 round stone graduated head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP10A	Shank	2mm	2.10g		FLR S04B	FHR S04B
TP10A	Head			1 x 3.5, 2 x 3mm		NP1 S04B
TP10B	Shank	2mm	2.50g		FLR S04C	FHR S04C
TP10B	Head			1 x 4.75, 2 x 4mm		NP1 S04C



Knife edge shank, low shoulder - wire, 3 round stone head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP11A	Shank	2mm	2.40g		FLR S61A	FHR S61A
TP11A	Head			3 x 2.5mm		NP1 S61A
TP11A	Head			3 x 3mm		NP1 S61B
TP11A	Head			3 x 3.5mm		NP1 S61C
TP11A	Head			3 x 4mm		NP1 S61D



Tiffany shank with bezel - curtain, 3 round stone head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP12A	Shank	2.5mm	2.90g		FLR S77A	FHR S77A
TP12A	Head			3 x 3 mm		NP1 S77A
TP12B	Shank	2.5mm	2.90g		FLR S77B	FHR S77B
TP12B	Head			3 x 3.5mm		NP1 S77B
TP12C	Shank	2.5mm	3.10g		FLR S77C	FHR S77C
TP12C	Head			3 x 4mm		NP1 S77C



Please note: All ring blanks are supplied Hallmarked



rings

classic co-ordinates



This new range of classic shanks & settings in single/three/five and seven stone configurations are designed for an exact fit. This makes the piece quick and easy to assemble. This range also gives the jeweller the flexibility to buy the shanks and settings separately according to the needs of the job.



Tiffany shank with bezel - curtain, 3 round stone graduated head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP13A	Shank	2.5mm	2.70g		FLR S78A	FHR S78A
TP13A	Head			1 x 3, 2 x 2.5mm		NP1 S78A
TP13B	Shank	2.5mm	2.70g		FLR S78B	FHR S78B
TP13B	Head			1 x 3.5, 2 x 3mm		NP1 S78B
TP13C	Shank	2.5mm	2.70g		FLR S78C	FHR S78C
TP13C	Head			1 x 4, 2 x 3.5mm		NP1 S78C



Half shank - engraved, 5 round stone head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP20A	Shank	3.0mm	3.00g		FLR S49A	FHR S49A
TP20A	Head			5 x 3mm		NP1 S49A
TP20B	Shank	3.0mm	3.00g		FLR S49B	FHR S49B
TP20B	Head			5 x 3.5mm		NP1 S49B



Shank with bezel - rubover, 5 round stone graduated head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP21A	Shank	2.5mm	2.80g		FLR S79A	FHR S79A
TP21A	Head			1 x 2.8mm, 2 x 2.3mm, 2 x 1.8mm		NP1 S79A
TP21B	Shank	2.5mm	3.00g		FLR S79B	FHR S79B
TP21B	Head			1 x 3.75mm, 2 x 3.0mm, 2 x 2.5mm		NP1 S79B



Please note: All patterns shown are subject to availability. All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings



classic co-ordinates

rings



This new range of classic shanks & settings in single/three/five and seven stone configurations are designed for an exact fit. This makes the piece quick and easy to assemble. This range also gives the jeweller the flexibility to buy the shanks and settings separately according to the needs of the job.



Half shank - engraved, 7 round stone head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP30A	Shank	3.0mm	3.30g		FLR S49E	FHR S49E
TP30A	Head			7 x 2.5mm		NP1 S49E



Half shank - rubover, 7 round stone head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP31A	Shank	2.5mm	3.30g		FLR S49F	FHR S49F
TP31A	Head			7 x 2.5mm		NP1 S49F
TP31B	Shank	2.5mm	3.50g		FLR S49H	FHR S49H
TP31B	Head			7 x 3.0mm		NP1 S49H



Half shank - peg set, 7 round stone head

Ref:	Description	Shank Width	Approx Wt 18ct	Stone Size	Code	
					18Y	18W
TP32A	Shank	2.0mm	2.20g		FLR S49J	FHR S49J
TP32A	Head			7 x 2.5mm		NP1 S49J
TP32B	Shank	2.0mm	2.50g		FLR S49K	FHR S49K
TP32B	Head			7 x 3.0mm		NP1 S49K
TP32C	Shank	2.0mm	3.00g		FLR S49L	FHR S49L
TP32C	Head			7 x 3.5mm		NP1 S49L



Please note: All ring blanks are supplied Hallmarked

orderline: 0845 100 11 22

rings

single stone rings

rings

Dress Ring - single stone illusion

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
F82	5mm illusion washer	0	1.9g				FAF 082		



Rubover single stone - narrow shank

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
W15	4.8 to 5.1mm	L½	2.5g					FHW 015	



Two colour rubover single stone ring

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y & 18W	Plat
D02P	3.0 to 4.0mm stone	M	3.7g				FQD 02P	
D03P	5.0mm	M	4.1g				FQD 03P	



Single Stone Ring Rex setting on a Tiffany shank with chenier shoulders

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
D30	15pts	L½	2.6			FBD 030		FHD 030	
D31	20pts	L½	2.7			FBD 031		FHD 031	
D32	25pts	L½	2.7		FAD 032	FBD 032	FLD 032	FHD 032	FXD 032
D33	33pts	L½	2.7		FAD 033	FBD 033	FLD 033	FHD 033	FXD 033
D34	48/50pts	M	2.7		FAD 034	FBD 034	FLD 034	FHD 034	FXD 034
D35	75pts	M½	3.5		FAD 035	FBD 035	FLD 035	FHD 035	FXD 035
D36	1/1.25ct	0	3.5		FAD 036		FLD 036	FHD 036	FXD 036



Please note: All patterns shown are subject to availability.
All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

single stone rings

End Set Rings, round setting

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
D15	4.5mm	N	5.8					FHD 015	
D16	5.5mm	N	6.2					FHD 016	
D17	6.0mm	N	7.0					FHD 017	



Example set with stone

4 claw single stone ring

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
R01P	3.0mm round	N½	2.3g				FMR 01P	FPR 01P	
R02P	4.0mm round	O	3.7g				FMR 02P	FPR 02P	
R03P	5.0mm round	N½	4.0g				FMR 03P	FPR 03P	
R04P	5.5mm round	N½	4.2g				FMR 04P	FPR 04P	




6 claw single stone ring

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
R05P	3.0mm round	N	3.8g					FPR 05P	
R06P	4.0mm round	N	4.0g					FPR 06P	
R07P	4.5mm round	M½	4.3g					FPR 07P	
R08P	5.5mm round	M½	4.3g					FPR 08P	



Single Stone Rings, white head & yellow shank

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y & 18W	Plat
R12P	3.5/3.7 mm	N	3.0				FQR 12P	
R14P	4.7mm	N	3.3				FQR 14P	
R15P	5.0mm	N½	3.5				FQR 15P	



...pin wire?
see page 26

Please note: All ring blanks are supplied Hallmarked

single stone & pearl rings

Faux Tension Set Ring, Single stone, D shape band, with supporting bezel

Ref:	Stone Size	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
D18	3.5mm Band, 3.0mm stone	L	3.2				FLD 18L	FHD 18L	
		N	3.4				FLD 18N	FHD 18N	
		P	4.2				FLD 18P	FHD 18P	



Dress Ring - single pearl

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
L14	5.0mm cup	K	2.1g		FAL 014				



Pearl Ring - single pearl

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
P6	5.5mm pearl	N½	3.4g		FAP 006				



Dress Ring - Oval Centre - Single Stone

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
A11	16 x 12mm	N	3.5g		FAA 011				
A12	18 x 13mm	N	3.7g		FAA 012				



The A range can be made up from oval double gallery settings and tiffany shanks.


Please note: All patterns shown are subject to availability.
All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.

rings

single stone rings

Dress Ring - Oval Centre - Single Stone

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
A2	6 x 4mm	M	2.0g		FAA 002				
A4	8 x 6mm	M½	2.4g		FAA 004				
A6	10 x 8mm	M	2.6g		FAA 006				
A8	12 x 10mm	M	2.8g		FAA 008				



Cameo Dress Ring

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
D3	10mm x 8mm oval	N½	5.3g		FAD 003				
D4	12mm x 10mm oval	N	5.8g		FAD 004				
D10	17mm x 12mm oval	N	6.3g		FAD 010				



Can also be set with cabochon & faceted stones

Dress Ring - octagonal / emerald cut centre

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
N1	6mm x 4mm	N	2.2g		FAN 001				
N3	8mm x 6mm	N	2.5g		FAN 003				
N5	10mm x 8mm	N	3.1g		FAN 005				



Dress Ring - octagonal / emerald cut centre

Ref:	Stone Size	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
N7	12mm x 10mm	O	3.0g		FAN 007				



The N range can be made up with ED4 double gallery settings (see the Settings section) and Tiffany Shanks

Cookson also sell a complete range of pierced and non - pierced ear fittings for pearls, see the Findings section for details.

Please note: All ring blanks are supplied Hallmarked

rings

domed rings

Flat Domed Ring - plain

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C7	7.7mm widest point	N	9.4g		FAC 007		FLC 007		



Solid Back

Gypsy Ring - highly domed

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C16	11.0mm widest point 4.0mm head height	S	8.3g		FAC 016		FLC 016		



Solid Back

Domed Ring

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C34	9.5mm widest point	Q	8.2g		FAC 034		FLC 034		
C35	7.0mm widest point	Q	7.6g				FLC 035		



Hollowed Back

Flat Domed Ring - plain

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C21	5.0mm widest point	N	6.2g	FSC 021	FAC 021		FLC 021		



Solid Back

*Terms used in this section :

- Hollowed Back: The underside of the ring head and/or shoulders is hollowed out.
- Solid Back: The underside of the ring head and/or shoulders is not hollowed out.
- Closed Back: Unless the ring is described as Closed Back - then all stone holes are fully drilled through the band.

Please note: All patterns shown are subject to availability.
All sizes, weights, images and drawings are not to scale and are given for guidance only. Other carats are available to special order.



rings

domed rings

Domed Ring - plain

Ref:	Description	Finger Size	Approx Wt 18ct	Sil	9Y	9W	Code 18Y	18W	Plat
C28	5.5mm widest point	N½	3.4g				FLC 028		



Solid Back

Domed ring - plain with centre punched mark

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C18	6.75mm widest point	P	4.9g		FAC 018		FLC 018		
C19	8.0mm widest point	Q	8.0g	FSC 019	FAC 019		FLC 019		



Hollowed Back

Domed Ring - with centre punched mark

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C65	9.8mm widest point	R	10g		FAC 065				



Hollowed Back

Domed Ring - 3 stone

Ref:	Description	Finger Size	Approx Wt 9ct	Sil	9Y	9W	Code 18Y	18W	Plat
C4	6.8mm widest point Centre: 3.5mm round Outer: 2.5mm x 2	P	4.8g		FAC 004		FLC 004		



Hollowed Back

Please note: All ring blanks are supplied Hallmarked