



# From the Heart











THE UK'S LARGEST SUPPLY OF WEDDING RING BLANKS IN STOCK NOW!





multisizer ring gauge with every order containing a wedding ring blank see page 4



palladium courts and easy-fit wedding rings see page 7



# Gookson loves a wedding...





...and so will you



The UK's largest range of wedding ring blanks just got bigger for 2009!

Marrying unbeatable choice with the best service in the industry, Cookson is your perfect partner for wedding ring blanks and all your iewellery supplies!

Take a look at our newest wedding ring blanks, including new palladium courts and Easy-Fits - in stock NOW! What's more, if you buy any wedding ring blank from our collection, you'll get a FREE multisizer ring gauge with every order.





### **NEW FOR 2009**

Cookson's commitment to holding the most comprehensive ex stock range in the UK continues in 2009. We have listened to the comments and requests received from customers over the past year, and have made additions to the range in line with these. This has given an even more complete range of wedding ring blanks to suit all!

#### **PALLADIUM**

"The success of Palladium over the past year has exceeded all expectations. This pure white metal is drawing attraction from the trade and public alike. Indeed interest will only grow further as and when a UK hallmark is approved (thought to be April 2009).

With this in mind Cookson have added a medium weight range of Courts and Easy-Fits to suit every price point. In addition to this we have added extra widths to our heavy weight range in Courts, Easy-Fits, D Shapes and Flats."

David Fletcher, Cookson Precious Metals Wedding Ring Product Manager.

#### **EVERYDAY ESSENTIALS**

Stock up on everyday essentials and take advantage of some great savings.

#### **ALWAYS THE BEST PRICES**

You can now buy your wedding rings on line at: www.cooksongold.com. Keep hold of this catalogue to help you find products and product codes quickly and simply.

#### SPECIAL TO THIS CATALOGUE

Buy any wedding ring and get a FREE multisizer ring gauge with every order.

#### WEDDING RING **BLANKS**

pages 6 - 17

new for 2009

hallmarked 9ct yellow gold hallmarked 9ct white gold hallmarked 18ct yellow gold hallmarked 18ct white gold hallmarked 9ct & 18ct red gold hallmarked platinum range purity marked palladium hallmarked standard silver

RING TOOLS & CONSUMABLES pages 18 - 21

**PRESENTATION** pages 22 - 23

**EVERYDAY ESSENTIALS** pages 24 - 28



# FRE!

multisizer ring gauge with every order containing a wedding ring blank\*

\*Offer ends 24.02.09



palladium courts & easy-fit wedding ring blanks

# SPEND OVER £150 ON WEDDING RING BLANKS AND YOU CO



A WEDDING RING STRETCHER/REDUCER

This tool is suitable for enlarging and reducing the size of wedding rings. To enlarge, the annealed ring is put onto the vertical tapered ring stick as far as it will go. Carefully, the upright handle is pushed down - this gradually expands the ring stick and so enlarges the ring. The ring should be rotated continuously to avoid distortion.

On wider rings, the process should be repeated on the opposite side of the ring to ensure an even enlargement.

- The draw will take place on 03.03.2009, Cookson Precious Metals, Competition Secretary will make the draw.







# New wedding rings for 200

### How do I choose?

- Choose the carat & colour
- Select the style (Court, D shape, Flat, Blend Court, Easy Fit, Halo or Concave)
- Select the width & weight (light, medium or heavy)
- State the code and the fingersize.

#### RING WALL THICKNESSES in mm

Shape	Light	Medium	Heavy		
Court	1.4- 1.7	1.7 - 2.0	2.0 - 2.5		
D Shape	1.0 - 1.3	1.4 - 1.7	1.8 - 2.1		
Flat		1.0 - 1.3	1.5 - 1.8		
Easy Fit		1.6 - 1.9	1.9 - 2.4		
Halo 3 - 4					
Concave 1.9					
Blend Court 1.5 - 1.9					
Exact wall thicknesses are now available on request					

#### RING PROFILES

#### Court Section

The Court section ring has a domed profile with a domed interior.





#### Easy Fit

The Easy Fit section ring has a flat profile with a domed inside.





#### Concave

A concave ring with a deep groove.





#### D Section

The D section ring has a domed profile







#### Flat Section

The Flat section ring is the traditional wedding band.





#### Halo

A ring with a perfect round profile.







#### **Blend Court**

The Blend Court has a domed profile with domed interior. It is a much softer court than our standard profile, with radius edges





Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

#### **PALLADIUM**

The success of Palladium wedding rings in 2009 **NEW!** has been unprecedented. Cookson were one of the first manufacturers to embrace this "old" new metal, and are now able to offer a medium weight range in both the Court and Easy-Fit profile. This comprises of 2mm through to 8mm widths. In additon to this, we have also added some extra widths to the existing Heavy weight range of Courts, Easy-Fits, D shapes and Flats, in 2mm, 7mm and 8mm.

#### OTHER EXCITING ADDITIONS

Cookson are also introducing the following new widths and weight ranges based on customer feedback:

9ct Y H/W Courts - in 2mm gents sizes 9ct W L/W D Shapes - in 4mm gents sizes 18ct W L/W D Shapes - in 3mm, 4mm and 6mm gents sizes

#### **MEDIUM WEIGHTS**

High metal prices in 2009, coupled with the global credit crunch will undoubtedly see customers looking for a slightly cheaper price point when making their special purchase of a wedding ring.

Cookson have recognised this fact by adding many new medium weight ranges across the entire product range.

#### This includes:

9ct Y D Shapes - in 4mm, 5mm & 6mm in both ladies and gents sizes 9ct Y Flats - in 8mm gents sizes

9ct W courts - 6mm ladies & 8mm gents sizes

9ct W D Shapes - in 4mm, 5mm & 6mm in both ladies and gents sizes

18ct Y Courts - in 6mm ladies sizes

**18ct Y Flats -** in 6mm gents sizes

18ct W Courts - in 2mm & 6mm ladies sizes

18ct W Flats - in 4mm gents, 5mm ladies & 6mm in both ladies and gents finger sizes



Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

for 2009

### 9CT YELLOW COURT



CODE Ring Finger Size Finger Size Width I-P Q-Z (mm) Weight Weight	CODE	Width	Ĩ-P	Finger Size Q-Z Weight	
--	------	-------	-----	------------------------------	--

Light vveig	JUL		
TACH 02L	2	1.5	
Medium W	/eight		
TACH 03M	3	2.8	3.5
TACH 04M	4	4.3	4.7
TACH 05M	5	5.2	6.0
TACH 06M	6	6.5	7.6
TACH 07M	7		9.0
TACH 08M	8		10.0
			The second second

TACH 02H         2         2.1         2.7 Ne           TACH 03H         3         3.5         4.2           TACH 04H         4         4.7         5.8           TACH 05H         5         6.5         7.5           TACH 06H         6         8.1         9.3           TACH 07H         7         11.4	Heavy We	ight		
TACH 04H         4         4.7         5.8           TACH 05H         5         6.5         7.5           TACH 06H         6         8.1         9.3	TACH 02H	2	2.1	2.7 <b>NEW</b>
TACH 05H         5         6.5         7.5           TACH 06H         6         8.1         9.3	TACH 03H	3	3.5	4.2
TACH 06H 6 8.1 9.3	TACH 04H	4	4.7	5.8
	TACH 05H	5	6.5	7.5
TACH 07H 7 11.4	TACH 06H	6	8.1	9.3
	TACH 07H	7		11.4
TACH 08H 8 13.5	TACH 08H	8		13.5

#### **9CT YELLOW HALO**



CODE	Ring Width (mm)	Finger Size K,M,O Weight	Finger Size Q,S,U Weight			
Hoove Moight						

Heavy We	ight		
TARH 03H	3	5.0	



2009

CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
Light Wei	ght		
TADH 02L	2	1.1	
TADH 03I	3	1.8	2.1

2.5

3.1 3.7 4.4

Medium Weight					
4	3.5	4.1 <b>NEW</b>			
5	3.7	4.5 <b>NEW</b>			
6	5.0	6.0 <b>NEW</b>			
7		6.7			
8		7.4			
	4 5 6 7	4 3.5 5 3.7 6 5.0 7			

TADH 06L

,



# **9CT YELLOW**



	Width (mm)	I-P Weight	Q-Z Weight
Medium V	Veight		
TAFH 02M	2	1.6	
TAFH 04M	4	3.0	
TAFH 06M	6		5.4
TAFH 08M	8		7.1 <b>NEW</b>
Heavy We	eight		
TAFH 03H	3	2.9	3.5
TAFH 04H	4	4.1	4.7
TAFH 05H	5	5.2	6.0
TAFH 06H	6	6.5	7.0
TAFH 07H	7		8.1



10.5

TAFH 10H

Medium Weight					
TAEH 03M	3	2.8	3.5		
TAEH 04M	4	4.3	4.7		
TAEH 05M	5	5.2	6.0		
TAEH 06M	6	6.5	7.6		
TAEH 08M	8		10.0 <b>NEW</b>		
Heaw Weight					

Heavy Weight					
	TAEH 04H	4	4.7	5.8	
	TAEH 06H	6	8.1	9.3	
ď					

#### 9CT WHITE COURT



CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
Medium V	Veight		
THCH 03M	3	3.1	3.8
THCH 04M	4	4.7	5.2
THCH 05M	5	5.7	6.6
THCH 06M	6	7.1	8.4 <b>NE</b> \
THCH 08M	8		11.0 <b>NE</b> \
Heavy We	ight		
THCH 02H	2	2.3	
THCH 03H	3	3.8	4.6
THCH 04H	4	5.2	6.4
THCH 05H	5	7.1	8.2
THCH 06H	6	8.9	10.2

#### 9CT WHITE **EASY FIT**



Medium Weight					
THEH 03M	3	3.1	3.8		
THEH 04M	4	4.7	5.2		
THEH 05M	5	5.7	6.6		
THEH 06M	6	7.1	8.4		
THEH 08M	8		11.0		
Hoow Waight					

6.4
10.2

#### 9CT WHITE D SHAPE



CODE	Width (mm)	I-P Weight	Q-Z Weight
Light Wei	ght		
THDH 03L	3	2.0	2.3

•	THDH 04L	4	2.7	3.4 <b>NEV</b>
•	THDH 05L	5		4.1
	THDH 06L	6		4.8
0	Medium W	/eight		
	THDH 04M	4	3.8	4.5 <b>NEV</b>
	THDH 05M	5	4.1	4.9 <b>NEV</b>

Heavy We	ight		
THDH 02H	2	1.9	2.3
THDH 03H	3	3.2	3.8
THDH 04H	4	4.5	5.2
THDH 05H	5	5.7	6.6
THDH 06H	6	7.1	7.7
THDH 08H	8		10.3
THDH 10H	10		11.5

### **FLAT RING BLANKS**

Cookson's flat rings are still among the most popular profiles we produce.

Available in 9ct Yellow. 9ct White, 18ct Yellow, 18ct White, Platinum, Palladium and Standard Silver.

#### 9CT WHITE FLAT



		Width (mm)	Ĭ-P Weight	Q-Z Weight
•	Medium V	Veight		
•	THFH 02M	2	1.7	
•	THFH 03M	3	2.5	
•	THFH 04M	4	3.3	
	THFH 06M	6		5.6
•	Heavy We	ight		
•	THFH 03H	3	3.2	3.8
:	THFH 04H	4	4.6	5.1
•	THFH 05H	5	5.7	6.5
•	THFH 06H	6	7.1	7.6
	THFH 08H	8	9.2	10.1
	THFH 10H	10		11.2



Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

hallmarked 9ct white gold

#### **18CT YELLOW COURT**



	CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
--	------	-----------------------	------------------------------	------------------------------

Light Weight

TLCH 02L	2	2.1	
Medium V	/eigh	t	
TLCH 03M	3	3.9	4.9
TLCH 04M	4	6.0	6.5
TLCH 05M	5	7.2	8.3
TLCH 06M	6	9.0	10.6 <b>NEW</b>
Hoavy Wo	iaht		

Heavy Weight					
TLCH 02H	2	2.9			
TLCH 03H	3	4.9	5.8		
TLCH 04H	4	6.5	8.1		
TLCH 05H	5	9.0	10.4		
TLCH 06H	6	11.3	12.9		
TLCH 07H	7		15.9		
TLCH 08H	8		18.8		

#### **18CT YELLOW BLEND COURT**



Medium V	/eight		
TLBH 02M	2	2.5	
TLBH 03M	3	3.9	4.9
TLBH 04M	4	6.0	6.5
TLBH 05M	5	7.2	8.3
TLBH 06M	6		10.6

#### **18CT YELLOW D SHAPE**



ODE Ring Finger Size Finger Size Width I-P Q-Z (mm) Weight Weight				
	ODE	Width	Ĭ-P	Q-Z

Light Weight					
TLDH 03L	3	2.5			
TLDH 04L	4	3.5	4.3		
TLDH 05L	5	4.0			
TLDH 06L	6		6.1		
Medium Weight					

	Heavy We	ight			
•	TLDH 02H	2	2.4	2.9	
•	TLDH 03H	3	4.0	4.9	
	TLDH 04H	4	5.7	6.5	
	TLDH 05H	5	7.2	8.3	
	TLDH 06H	6	9.0	9.7	

TLDH 08M

#### **18CT YELLOW HALO**



CODE	Ring Width (mm)	Finger Size K,M,O Weight	Finger Size Q,S,U Weight
Цооху М	loiabt		

### **18CT YELLOW**





CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
Medium V	Veight		
TLFH 02M	2	2.3	
TLFH 03M	3	3.3	
TLFH 04M	4	4.3	
TLFH 06M	6		7.4 <b>NEW</b>
Heavy We	eight		
TLFH 03H	3	4.2	4.9
TLFH 04H	4	5.7	6.5
TLFH 05H	5	7.2	8.3
TLFH 06H	6	9.0	9.7
TLFH 08H	8	11.8	13.1

#### **18CT YELLOW EASY FIT**



Medium Weight					
TLEH 03M	3	3.9	4.9		
TLEH 04M	4	6.0	6.5		
TLEH 05M	5	7.2	8.3		
TLEH 06M	6	9.0	10.6		
TLEH 08M	8		13.9		

Heavy Weight				
TLEH 04H	4	6.5	8.1	
TLEH 06H	6	11.3	12.9	





CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Siz Q-Z Weight
Medium V	Veight		
TXCH 02M	2	2.6	N
TXCH 03M	3	4.0	5.0
TXCH 04M	4	6.2	6.8
TXCH 05M	5	7.5	8.6
TXCH 06M	6	9.3	10.9 <b>N</b>
TXCH 08M	8		14.4
Heavy We	ight		
TXCH 02H	2	3.0	
TXCH 03H	3	5.0	6.0
TXCH 04H	4	6.8	8.3
TXCH 05H	5	9.3	10.8
TXCH 06H	6	11.6	13.4

CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
Medium V	Veight		
TXCH 02M	2	2.6	NE\
TXCH 03M	3	4.0	5.0
TXCH 04M	4	6.2	6.8
TXCH 05M	5	7.5	8.6
TXCH 06M	6	9.3	10.9 <b>NE</b> \
TXCH 08M	8		14.4
Heavy We	ight		
TXCH 02H	2	3.0	
TXCH 03H	3	5.0	6.0
TXCH 04H	4	6.8	8.3
TXCH 05H	5	9.3	10.8
TXCH 06H	6	11.6	13.4

**18CT WHITE EASY FIT** 

6.8

5.0 6.8 8.6 10.9

8.3 13.4

### **18CT WHITE**



10.1

13.5



CODE	Ring	Finger Size	Finger Size
	Width	I-P	Q-Z
	(mm)	Weight	Weight
N.A. alliana			

•	ivieaium v	veigni		
•	TXFH 02M	2	2.3	
•	TXFH 03M	3	3.4	
	TXFH 04M	4	4.4	5.2 <b>NEW</b>
•	TXFH 05M	5	5.5	NEW
	TXFH 06M	6	6.5	7.7 <b>NEW</b>
	Hoova, Mo	iaht		
:	Heavy We	igni		
•	TXFH 03H	3	4.2	5.0
•	TXFH 04H	4	5.9	6.8
	TXFH 05H	5	7.5	8.6





CODE	Width (mm)	I-P Weight	Q-Z Weight
Light Weig	ght		
TXDH 03L	3	2.6	3.0 <b>NEW</b>
TXDH 04L	4	3.6	4.5 <b>NEW</b>
TXDH 06L	6		6.3 <b>NEW</b>
Medium V	Veight		
TXDH 03M	3	3.6	
TXDH 05M	5	5.3	6.5
Heavy We	ight		
TXDH 02H	2	2.4	
TXDH 03H	3	4.2	5.0

#### **18CT WHITE HALO**

9.3

TXFH 06H



CODE	Ring Width (mm)	Finger Size K,M,O Weight	Finger Size Q,S,U Weight	
Ноэм М	/oight			

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

6.8

#### **18CT WHITE BLEND COURT**

7.5



TXDH 06H

TXDH 08H



8.6

10.1

13.5

Medium Weight				
TXBH 02M	2	2.6		
TXBH 03M	3	4.0	5.0	
TXBH 04M	4	6.2	6.8	
TXBH 05M	5	7.5	8.6	
TXBH 06M	6		10.9	

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.





TXRH 03H 3

TLRH 03H

# hallmarked platinum range

#### 9CT RED COURT





(mm) Weight Weight	CODE	Ring Width (mm)	Finger Size I-P Weight	Q-Z
--------------------	------	-----------------------	------------------------------	-----

Heavy We	eight		
TECH 033	3	3.5	
TECH 044	4	4.7	5.8
TECH 063	6		9.3

#### 9CT RED D SHAPE





"As far as we know, the ancient Egyptians were the first to place a ring on the third finger of the left hand to signify the marriage union. It was placed on that finger because love' ran from this finger to the heart. They used a ring because they believed that the circle was the perfection because it had no beginning and no end."

#### **18CT RED D SHAPE**

3.9



TDDH 036

TDDH 046

TDDH 066





4.7

6.4

9.5



**18CT RED COURT** 

CODE	Ring	Finger Size	Finger Size			
	Width	I-P	Q-Z			
	(mm)	Weight	Weight			
Heavy Weight						

Heavy We	ight		
TDCH 033	3	4.7	
TDCH 044	4	6.4	7.9
TDCH 063	6		12.6

# **RED GOLD**

9ct Red and 18ct Red Gold alloys have a rich warm colour that gives beautiful contrast against both yellow and white. Red Gold is making a comeback, as manufacturers look for colour to enhance and brighten pieces to complement their ranges. Red Gold also enables the creation of Russian style bands.



Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

#### **PLATINUM COURT**



Light Weight

TICH 02L

TICH 03L

TICH 04L

TICH 05L

TICH 06L



2.8

4.6

5.7

7.4



5.2

6.5 9.6

10.2





CODE	Ring	Finger Size	Finger Size
	Width	I-P	Q-Z
	(mm)	Weight	Weight

3.9

4.6

PLATINUM D SHAPE

		Light Weig	gnt	
	•	TIDH 02L	2	2.0
		TIDH 03L	3	3.3
	•	TIDH 04L	4	3.5
		TIDH 05L	5	4.4
		TIDH 06L	6	
		Modium M	Voight	

Medium V		Medium			
TICH 02M	2	3.3			TIDH 03M
TICH 03M	3	5.2	6.5		TIDH 04M
TICH 04M	4	7.9	8.7	•	TIDH 05M
TICH 05M	5	9.6	11.1		TIDH 06M
TICH 06M	6		14.0		TIDH 08M
				_ :	

Heavy We	eight		
TICH 02H	2	3.9	
TICH 03H	3	6.5	7.8
TICH 04H	4	8.7	10.7
TICH 05H	5	12.0	13.9
TICH 06H	6	15.0	17.2

ī					
	•	Heavy We	eight		
		TIDH 02H	2	3.1	
	•	TIDH 03H	3	5.4	6.5
	•	TIDH 04H	4	6.5	7.6
	•	TIDH 05H	5	9.6	11.1
		TIDH 06H	6		12.9

# 11.1 12.9

3.9

4.6

5.7

6.8

9.2

15.7

#### **PLATINUM FLAT**



•					
•	Medium \	Veight			
• • • • • • • • • • • •	TIFH 02M	2	2.5		
•	TIFH 03M	3	4.9		
•	TIFH 04M	4	5.4		
•	TIFH 05M	5	6.8	8.5	
•	TIFH 06M	6		10.0	
					_

Heavy Weight						
TIFH 02H	2	3.6				
TIFH 03H	3	5.8	6.7			
TIFH 04H	4	7.6	8.8			
TIFH 05H	5	9.3	10.8			
TIFH 06H	6	11.3	13.2			
TIFH 08H	8		17.5			

### **PLATINUM RINGS**

Sales of Platinum wedding rings have remained strong. Cookson offer a fully comprehensive range of three weight ranges in courts and D Shapes and two weights in Flats and Easy-Fits. Or why not try a Blend Court or Halo Ring for a more contemporary look.

#### **PLATINUM EASY FIT**



CODE	Ring	Finger Size	Finger Size
	Width	I-P	Q-Z
	(mm)	Weight	Weight

Medium Weight				
TIEH 03M	3	6.5		
TIEH 04M	4	8.4	10.2	
TIEH 05M	5	10.4	12.7	
TIEH 06M	6	12.5	15.2	
TIEH 08M	8		18.5	

Heavy Weight					
	TIEH 04H	4	8.7	10.7	
	TIEH 06H	6		17.2	
					_

#### PLATINUM BLEND COURT





	· oigint			
TIBH 02M	2	3.3		
TIBH 03M	3	5.2	6.5	
TIBH 04M	4	7.9	8.7	
TIBH 05M	5	9.6	11.1	
TIBH 06M	6		14.0	3



# Did you know?

Average retail price for wedding rings are:

- Brides £350
   Grooms £250
- Since 1992, there have been more civil marriage ceremonies in England and Wales than religious ceremonies.
- In 2005, 65% of marriages were solemnised by civil ceremonies (source national statistics).
- In 2006 there were 275,140 weddings in the UK.
- The number of marriages in England and Wales that were the first for both partners peaked in 1940 at 426,100 when 91 per cent of all marriages were the first for both partners. This number has since fallen to 144,120 in 2006, accounting for 61 per cent of all marriages.
- Since 1992, there have been more civil ceremonies in England and Wales than religious ceremonies. In 2006, civil ceremonies accounted for 66 per cent of all ceremonies, an increase from 59 per cent in 1996.
- Weddings still remain concentrated between July and September, accounting for 42.5%. This is a slight increase on 2003 (latest available data).

 The average cost of a wedding is still £17,370 – well over half the national average salary which stands at £23,200, according to Weddingplan Insurers (Feb 2006). The average cost in London is estimated at £22,906.

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT

#### **PALLADIUM** COURT



9.6 **NEV** 

10.9 **NEV** 







ı		(mm)	Weight	Weight
	Medium V	/eight		
	TUCU 02M	2	1.9	NEV
	TUCU 03M	3	3.0	3.8 <b>NEV</b>
	TUCU 04M	4	4.6	5.1 <b>NEV</b>
	TUCU 05M	5	5.6	6.5 <b>NEV</b>
	TUCU 06M	6	7.0	8.3 NEV

TUCU 07M

TUCU 08M 8

Heavy Weight					
TUCU 02H	2	2.2	NEW		
TUCU 03H	3	3.8	4.5		
TUCU 04H	4	5.1	6.3		
TUCU 05H	5	7.0	8.1		
TUCU 06H	6	8.8	10.1 <b>NEW</b>		
TUCU 07H	7		12.3		
TUCU 08H	8		14.6		

**PALLADIUM** 

Palladium was discovered by

William Hyde Wollaston in 1803.

This element was named by

Nollaston in 1804 after the asteroic

Pallas, which was discovered two years earlier. When platinum was declared a strategic government resource during World War 2, many jewellery

bands were made out of palladium

#### **PALLADIUM D SHAPE**

1.8

3.2

3.8

Cookson stamp every palladium ring with a purity mark to guarantee that each one

contains a minimum of 95% pure palladium.

As soon as a UK Hallmark for Pd becomes

vailable. All CPM Pd blanks will be hallmarked.

Heavy Weight

TUDU 02H

TUDU 04H

TUDU 05H

TUDU 06H

TUDU 07H

TUDU 08H



3.8

4.4

6.5

7.5 **NEW** 

8.7 **NEW** 

10.1 **NEW** 









**PALLADIUM** 



	Width (mm)	I-P Weight	Q-Z Weight
Heavy We	ight		
TUFU 02H	2	2.3	NEW
TUFU 03H	3	3.4	3.9
TUFU 04H	4	4.4	5.1
TUFU 05H	5	5.4	6.3
TUFU 06H	6	7.2	7.7 <b>NEW</b>
TUFU 07H	7		8.7 <b>NEW</b>
TUFU 08H	8		10.1 <b>NEW</b>
	TUFU 02H TUFU 03H TUFU 04H TUFU 05H TUFU 06H TUFU 07H	(mm)	(mm)         Weight           TUFU 02H         2         2.3           TUFU 03H         3         3.4           TUFU 04H         4         4.4           TUFU 05H         5         5.4           TUFU 06H         6         7.2           TUFU 07H         7         7

#### **PALLADIUM EASY FIT**







Medium Weight				
TUEU 02M	2	1.9	NEW	
TUEU 03M	3	3.0	3.8 <b>NEW</b>	
TUEU 04M	4	4.6	5.1 <b>NEW</b>	
TUEU 05M	5	5.6	6.5 <b>NEW</b>	
TUEU 06M	6	7.0	8.3 <b>NEW</b>	
TUEU 07M	7		9.6 <b>NEW</b>	
TUEU 08M	8		10.9 <b>NEW</b>	

eight		
2	2.2	NEW
3	3.8	4.5
4	5.1	6.3
5	7.0	8.1
6	8.8	10.1 <b>NEW</b>
7		12.3
8		14.6
	2 3 4 5 6 7	2 2.2 3 3.8 4 5.1 5 7.0 6 8.8 7

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.





marked palladium

#### **STANDARD** SILVER COURT



0	EN	CA	3	
	1			(4
_	-			

CODE	Width (mm)	I-P Weight	Q-Z Weight
Heavy V	Veight		
TSCH 03F	Н 3	3.3	3.9
TSCH 04F	H 4	4.4	5.4
TSCH 05H	H 5	6.0	7.0
TSCH 06H	H 6	7.5	8.6
TSCH 07F	H 7	8.4	9.3
TSCH 08F	8 H	9.3	10.5

#### STANDARD SILVER **D SHAPE**

1.6

2.7

3.8

4.8

6.0

7.9

10.1



Heavy Weight

TSDH 02H

TSDH 04H

TSDH 05H

TSDH 07H

TSDH 10H

TSDH 12H

TSEH 06H



2.0

3.3

4.4

5.6

6.5

7.5

8.7

11.2

11.6

8.6







CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
Heavy We	eight		
TSFH 02H	2	1.6	1.9
TSFH 03H	3	2.7	3.3
TSFH 04H	4	3.8	4.4
TSFH 05H	5	4.8	5.6
TSFH 06H	6	6.0	6.5
TSFH 07H	7	6.8	7.5
TSFH 08H	8	7.9	8.7
TSFH 09H	9	8.3	9.1
TSFH 10H	10	9.3	9.8

STANDARD

#### STANDARD SILVER HALO



(2)
(4)

(mm)	Weight	Weight		
Heavy Weight				
3	4.7			
4	7.5	8.5		
	_=	3 4.7		

#### STANDARD SILVER **EASY FIT**



CODE	Ring Width (mm)	Finger Size I-P Weight	Finger Size Q-Z Weight
Heavy We	eight		
TSEH 04H	4	4.4	5.4

7.5

#### STANDARD SILVER CONCAVE



CODE	Width (mm)	K-P Weight	Q-V Weight
Heavy W	eight		
TSVH 051	5	6.0	7.0




# Did you know?

- Weddings are funded 61% by the couples and 39% by the bride and/or groom's parents. In 1980 only 40% of weddings were self-financed.
- Key expenditure areas -Engagement Rings - 7.5% (£350m) Clothing - 10.1% (£471m) Reception - 35.3% (£1648m) Honeymoon - 16.6% (£775m) Rings 3.9% (£182m)
- The tradition of placing the Wedding Ring on the third finger of the left hand is perhaps because during Medieval Times, a ring was placed on three of the bride's fingers in turn to represent the Holy Trinity - the Father, the Son, and the Holy Spirit. Or perhaps it's because as far back as the ancient Romans who believed that the vein in the third finger ran directly to the heart, so the wearing of rings on that finger joined the couple's hearts and destinies.
- The earliest rings have been found in Egyptian tombs - these were usually signet rings and were worn with a crest or pattern to identify the wearer and were used to authenticate documents.

- The UK Wedding market was estimated at £4.67bn in 2005.
- Often Gimmal Rings which are a set of three interlocking rings, were separated and worn in Elizabethan times by the bride to be. the groom to be, and their witness, during the engagement. On the wedding day the three pieces were united as a single ring for the bride.
- The formality of the groom asking the father of the bride to be, for her hand in marriage, relates to olden times and is an acknowledgment that respect should be paid to a woman's family for the loss of their daughter.

#### WHEN DO UK WEDDINGS OCCUR?



Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

wedding

# 10% OFF all these ring tools!



#### **DUO POLISHING CLOTH**

Pack of two polishing cloths, one cloth impregnated for super shine, the other cloth is natural for final polishing. Will clean and polish gold, silver platinum and other precious metals without effort, giving a brilliant and lasting shine. The treated cloth leaves an undetectable residue which inhibits tarnish. Made from 100% long strand egyptian cotton. Non-toxic, non allergenic Cloths are 190 (7.5") x 310mm (12") The yellow cloth is impregnated & the blue is the soft cloth for final polish

998 026 NOW £2.60 per pack

new and improved

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily

#### RING GAUGE BOXED SET

Contains 52 rings A1/2 to Z1/2, aluminium ring stick with UK, US and European sizes.

999 ST02 NOW £80.55 each





#### the following: $\frac{1}{2}$ , $\frac{3}{4}$ , $\frac{11}{4}$ , $\frac{11}{2}$ , $\frac{13}{4}$ , and 2 full sizes. Choose the cutter that equals the amount you want to remove. Adjust the cutter bars and insert the ring, pull the handle to remove the exact amount of shank. The cut is always parallel, which make soldering fast & neat. The piece of shank removed can be reused to enlarge another appropriate width shank.

**RING SIZE CUTTER** 

Supplied with 7 cutters for removing

£173.09 each

> 66 Avoid wasting precious metal that usually occurs in conventional sawing, with this precision ring cutter, saving you time and money."

CODE	Description	Price/£	
999 603	Rawhide Mallet Size 2 11/2"	13.55	NOW £12.20
999 604	Rawhide Mallet Size 3 13/4"	14.44	NOW £13.00

#### **RAWHIDE MALLETS**

Mallet head is made from animal hide. Used for a more gentle movement of metal around stakes or triblets.







#### **ROUND STEEL TRIBLET MARKED A-Z+6**

Used to form and reshape and aid in the sizing of rings - (by tapping the shank carefully with a hammer).

NB. Care should be taken as the size markings will react in the same way as surface markings and transfer onto the metal's surface!

The triblet can be hand held or secured in a vice at the handle (secured at any other point ther triblet will be marked and transfer the marks onto the metal's surface).

Round Marked Triblet - Ring sizes A-Z+6

ROUND 16"/40cm STEEL TRIBLET

10% OFF

tools!

Made from steel, this solid triblet should be kept clean and polished as any marks will be transferred to the metal's surface.

Used to form or reshape - rings in particular. The triblet can be hand held or secured in a vice at the handle (secured at any other point the triblet will be marked and transfer the marks onto the metal's surface).

all these ring Width at top of blade - 8.8mm Width at bottom of blade - 25.3mm

Length of blade - 30cm/12in Overall height - 40cm/16in

999 820 NOW **£14.28** 

Width at top of blade - 10.2mm Width at bottom of blade - 25.5mm Length of blade - 24cm/9.5in Overall height - 33cm/13in

999 823 NOW **£19.11** 

#### STAINLESS STEEL WHEATSHEAF RING STICK

Made from stainless steel, with a wooden handle, this industry standard tapered ring stick is marked with concentric, equidistant circles running the length of the stick. Each of which symbolise a size, and are marked with a Letter - size A-Z + 6 (British sizes)

999 AHY NOW **£34.12** 

#### **FROSTING WHEELS**

Used for obtaining a satin finish on a surface. Constructed with a 3/32 shank and wheel into which are attached sections of equal lengths of steel wire, fixed in such a way that the wires have movement from side to side. Once turning the object is offered up to the frosting wheel and as the steel wires brush along the surface so a satin finish appears.

CODE	Description	Size	Price/£
999 CCN	Frosting Wheel on a 2.35mm shank	Extra Fine - 0.20mm	16.00 <b>NOW £14.40</b>
999 CCP	Frosting Wheel on a 2.35mm shank	Fine - 0.30mm	16.00 <b>NOW £14.40</b>
999 CCQ	Frosting Wheel on a 2.35mm shank	Medium - 0.45mm	16.00 <b>NOW £14.40</b>
999 CCR	Frosting Wheel on a 2.35mm shank	Course - 0.60mm	16.00 <b>NOW £14.40</b>

Create a beautiful textured finish quickly and easily.

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

#### WHEATSHEAF WEDDING RING GAUGE

Wide gauge suitable for wedding rings.

Made from metal, this gauge comprises of a hoop onto which are threaded individual rings. Each marked with a letter relating to the British sizing structure. Each ring is about 7.5mm wide to cater for the average wedding ring width.

The gauge includes full sizes only H-Z +6 (Full sizes of H-Z and sizes larger than 'Z' = +1, +2, +3, +4, +5 & +6).







The orginal Elma electronic finger ring gauge covers all the 6 popular ring sizes - UK.=(C - Z + 11), European standard, Dia mm, France, USA and Japan. Comfortable and easy to use, with an LCD panel display to confirm exact ring sizes. Ideal to inspire confidence during ring sale or when resizing with customers.

Battery operated with auto shut-off.

999 ST01 NOW **£89.55** each

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.

ımable

ring

oresentatio





**DRAWSTRING POUCHES** 

**BELL & SQUARE SHAPE** 

CODE	Description	£/each
1. 994 009	Small	0.52
994 014	Large	0.79
2. 994 009A	Small	0.52
994 014A	Large	0.79
WHITE RIN	JG	
POUCHES	4 2 2 2 2 2 2	
Also weddina	1	3













PACK OF 6

SILVER SATIN POUCH

**PACK** 

OF 6

Versatile drawstring

any jewellery style.

pouch to accommodate

Size: 7.6 x 10cm

**GOLD SATIN POUCH** 

Versatile drawstring

any jewellery style.

pouch to accommodate



MS RANGE RING BOX

Blue sheen exterior with white

leatherette pad & white satin liner.

**BLACK LEATHERETTE** 

**DOUBLE RING BOX** 

Size: 71 x 52 x 38mm

£1.18 each (1-47)

£1.12 each (48+)

996 245

# everyday essentials

S

#### **DIALUX**

Renowned for exceptional finishing of precious metals.







**OVER** 



DIALUX





was £4.36

NOW £2.92

#### TRIPOLI LUSTRE

700 gram Bar for initial polishing of most metals - will remove scratches left by emery paper.



998 198 **ONLY £3.53**  SILVER ASSEMBLED **CUFF LINK FITTINGS** 



SET OF 20 STEEL DRILLS 0.3-1.6mm per set **OVER 5**%



#### **ULTRA 7000 MINI ULTRASONIC CLEANER**

This machine is supplied with basket, watch/earringholder, CD/DVD stand & tarnish removal cloth.

Weight: 1kg (2.2lbs) Tank size: 750ml (1 pint) Ultrasonic frequency: 42 khz Power consumption: 50W Max. Power supply: AC220-240V, Fuse 3A Quiet operation

999 AJZ3

£29.99 each £17.33 each



#### **DX350 POCKET SCALE**

A fantastic value pocket scale. It has a removable cover, which can double as a tray. Batteries included.

350gm x 0.1gm

999 88V



#### "SEA CLEAN" ULTRASONIC CLEANING CONCENTRATE

Made from a unique formula containing natural products. Mixing carefully balanced quantities of seaweed, coconut oils and other fruit extracts to create a powerful cleaning solution. It will aid the removal of stubborn dirt including tarnish, carbon and rust from most metals.

#### long shelf life

- up to 12 months after opening

To make 1 litre of solution mix 100 to 150ml concentrate with warm water

999 AKJ1 500ml 999 AKJ2 1litre

FROM £4.25

NON-TOXIC. **NON-FLAMMABLE** AND **BIO-DEGRADABLE!** 

S

#### JEWELLER'S FIRST AID KIT

An essential workshop first aid kit containing over 40 items including:

- triangle bandage with fasteners
- 5cm conforming bandage
- medium dressing
- 2 x 5x5cm low adherent dressings
- 6 x safety pins
- 10 x assorted waterproof plasters
- 10 x assorted fabric plasters
- eyewash bath
- surgical gloves x1pr
- surgical tape
- 3 x moist wipes
- forceps
- 1 x finger gauze (1m + applicator)
- first aid guidance leaflet



#### RADIAL BRISTLE DISCS KIT

These flexible discs glide through small grooves or fine detail while safely applying the required finish on gold, silver & platinum.

Use up to 3 discs of one grade on a mandrel.

- Yellow removal of fire stain x 6
- Blue semi finishing x 6
- Light Green polishing x 6
- Mandrel x 3

999 1967 £8.95




#### JEWELLERY MAKING By Jinks McGrath

This practical book is a complete course in designing and making jewellery.

Clear, step-by step instructions and photographs demonstrate essential processes and techniques ranging from setting up your workbench, hammering and casting, to polishing and finishing.

999 A49

**ONLY £14.99** 




#### THE JEWELLER'S **DIRECTORY OF SHAPE** AND FORM BOOK

By Elizabeth Olver

A guide to designing and making different forms of jewellery from earrings and pendants to cufflinks and bracelets, tie pins and rings. It includes 200 visual references for shape, form, texture and finish, with reference symbols to indicate the materials and processes used. 80 pages.

999 A64

**ONLY £14.99** 



#### **JEWELLERY** MANUFACTURE & **REPAIR BOOK**

By Charles A. Jarvis

This is an excellent guide for the beginner and for the craftsman in jewellery manufacture and repair.

It's 224 pages have 286 detailed line drawings.

999 AMY

**ONLY £14.99** 

#### **EMERY STICKS**



CODE	Description	Price/£
999 FAG	Flat Medium	0.87 ea.
999 FAJ	1/2 Round Medium	0.87 ea.
999 FAM	Round Medium	1.79 ea.
999 FAP	3 Square Medium	1.16 ea.

RC200 SLIM HOBBY DRILL KIT

230v pen like design for comfortable handling and extra close up control.

- 75 accessories inc. 1, 2.35, 3, 3.2mm collets in aluminium case
- 1.8m cable

999 AVL 2

£28.50

**IDEAL FOR SMALL** REPAIR WORK



Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.



ULTRASONIC DIGITAL FOR £19

#### **ULTRASONIC CLEANING** 999 AJZ6

Ultrasonic cleaning is fast, safe and much more effective than brushing and steaming. High frequency sound is passed through the cleaning fluid creating waves of high and low pressure bubbles which break down dirt and grease from jeweller's polish. This, coupled with heat, accelerates the cleaning process even further. 3 LITRE ULTRASONIC WITH BASKET,

Great all round value! This is a great size for the medium sized workshop. The price is very good for a machine of this size with digital timer and heater! ""

Mrs Dougherty, Designer Craftsman

# Excellent value for professional use

Tank size 265x164x100mm (LxWxH) / 3 litres / Frequency 42HKz

Power supply AC220V / Digital timer & temperature display

Please note that all prices are intended to be used as a guide. They are based on precious metal prices which vary on a daily basis. They are cash prices and are exclusive of VAT.





DIGITAL TIMER

& HEATER

UD1008H-3L